

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
1	Kare	10	x	10	x	0,80	mm	PRF	EN 10219-S235JRH	₺ 25.000,00	₺ 1.500,00
2	Kare	10	x	10	x	1,00	mm	PRF	EN 10219-S235JRH		
3	Kare	10	x	10	x	1,20	mm	PRF	EN 10219-S235JRH		
4	Kare	10	x	10	x	1,40	mm	PRF	EN 10219-S235JRH		
5	Kare	10	x	10	x	1,50	mm	PRF	EN 10219-S235JRH		
6	Kare	10	x	10	x	2,00	mm	PRF	EN 10219-S235JRH		
7	Kare	10	x	10	x	2,50	mm	PRF	EN 10219-S235JRH		
8	Kare	12	x	12	x	0,80	mm	PRF	EN 10219-S235JRH		
9	Kare	12	x	12	x	1,00	mm	PRF	EN 10219-S235JRH		
10	Kare	12	x	12	x	1,20	mm	PRF	EN 10219-S235JRH		
11	Kare	12	x	12	x	1,40	mm	PRF	EN 10219-S235JRH		
12	Kare	12	x	12	x	1,50	mm	PRF	EN 10219-S235JRH		
13	Kare	12	x	12	x	2,00	mm	PRF	EN 10219-S235JRH		
14	Kare	12	x	12	x	2,50	mm	PRF	EN 10219-S235JRH		
15	Kare	15	x	15	x	0,80	mm	PRF	EN 10219-S235JRH		
16	Kare	15	x	15	x	1,00	mm	PRF	EN 10219-S235JRH		
17	Kare	15	x	15	x	1,20	mm	PRF	EN 10219-S235JRH		
18	Kare	15	x	15	x	1,40	mm	PRF	EN 10219-S235JRH		
19	Kare	15	x	15	x	1,50	mm	PRF	EN 10219-S235JRH		
20	Kare	15	x	15	x	2,00	mm	PRF	EN 10219-S235JRH		
21	Kare	15	x	15	x	2,50	mm	PRF	EN 10219-S235JRH		
22	Kare	16	x	16	x	0,80	mm	PRF	EN 10219-S235JRH		
23	Kare	16	x	16	x	1,00	mm	PRF	EN 10219-S235JRH		
24	Kare	16	x	16	x	1,20	mm	PRF	EN 10219-S235JRH		
25	Kare	16	x	16	x	1,40	mm	PRF	EN 10219-S235JRH		
26	Kare	16	x	16	x	1,50	mm	PRF	EN 10219-S235JRH		
27	Kare	16	x	16	x	2,00	mm	PRF	EN 10219-S235JRH		
28	Kare	16	x	16	x	2,50	mm	PRF	EN 10219-S235JRH		
29	Kare	20	x	20	x	0,80	mm	PRF	EN 10219-S235JRH		
30	Kare	20	x	20	x	1,00	mm	PRF	EN 10219-S235JRH		
31	Kare	20	x	20	x	1,20	mm	PRF	EN 10219-S235JRH		
32	Kare	20	x	20	x	1,40	mm	PRF	EN 10219-S235JRH		
33	Kare	20	x	20	x	1,50	mm	PRF	EN 10219-S235JRH		
34	Kare	20	x	20	x	1,55	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
35	Kare	20	x	20	x	1,80	mm	PRF	EN 10219-S235JRH		
36	Kare	20	x	20	x	2,00	mm	PRF	EN 10219-S235JRH		
37	Kare	20	x	20	x	2,20	mm	PRF	EN 10219-S235JRH		
38	Kare	20	x	20	x	2,50	mm	PRF	EN 10219-S235JRH		
39	Kare	20	x	20	x	2,60	mm	PRF	EN 10219-S235JRH		
40	Kare	20	x	20	x	2,80	mm	PRF	EN 10219-S235JRH		
41	Kare	20	x	20	x	3,00	mm	PRF	EN 10219-S235JRH		
42	Kare	25	x	25	x	0,80	mm	PRF	EN 10219-S235JRH		
43	Kare	25	x	25	x	1,00	mm	PRF	EN 10219-S235JRH		
44	Kare	25	x	25	x	1,20	mm	PRF	EN 10219-S235JRH		
45	Kare	25	x	25	x	1,40	mm	PRF	EN 10219-S235JRH		
46	Kare	25	x	25	x	1,50	mm	PRF	EN 10219-S235JRH		
47	Kare	25	x	25	x	1,80	mm	PRF	EN 10219-S235JRH		
48	Kare	25	x	25	x	2,00	mm	PRF	EN 10219-S235JRH		
49	Kare	25	x	25	x	2,20	mm	PRF	EN 10219-S235JRH		
50	Kare	25	x	25	x	2,50	mm	PRF	EN 10219-S235JRH		
51	Kare	25	x	25	x	2,60	mm	PRF	EN 10219-S235JRH		
52	Kare	25	x	25	x	2,80	mm	PRF	EN 10219-S235JRH		
53	Kare	25	x	25	x	3,00	mm	PRF	EN 10219-S235JRH		
54	Kare	30	x	30	x	0,80	mm	PRF	EN 10219-S235JRH		
55	Kare	30	x	30	x	1,00	mm	PRF	EN 10219-S235JRH		
56	Kare	30	x	30	x	1,20	mm	PRF	EN 10219-S235JRH		
57	Kare	30	x	30	x	1,40	mm	PRF	EN 10219-S235JRH		
58	Kare	30	x	30	x	1,50	mm	PRF	EN 10219-S235JRH		
59	Kare	30	x	30	x	1,80	mm	PRF	EN 10219-S235JRH		
60	Kare	30	x	30	x	2,00	mm	PRF	EN 10219-S235JRH		
61	Kare	30	x	30	x	2,20	mm	PRF	EN 10219-S235JRH		
62	Kare	30	x	30	x	2,50	mm	PRF	EN 10219-S235JRH		
63	Kare	30	x	30	x	2,60	mm	PRF	EN 10219-S235JRH		
64	Kare	30	x	30	x	2,80	mm	PRF	EN 10219-S235JRH		
65	Kare	30	x	30	x	3,00	mm	PRF	EN 10219-S235JRH		
66	Kare	30	x	30	x	4,00	mm	PRF	EN 10219-S235JRH		
67	Kare	35	x	35	x	0,80	mm	PRF	EN 10219-S235JRH		
68	Kare	35	x	35	x	1,00	mm	PRF	EN 10219-S235JRH		
69	Kare	35	x	35	x	1,20	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
70	Kare	35	x	35	x	1,40	mm	PRF	EN 10219-S235JRH		
71	Kare	35	x	35	x	1,50	mm	PRF	EN 10219-S235JRH		
72	Kare	35	x	35	x	1,80	mm	PRF	EN 10219-S235JRH		
73	Kare	35	x	35	x	2,00	mm	PRF	EN 10219-S235JRH		
74	Kare	35	x	35	x	2,20	mm	PRF	EN 10219-S235JRH		
75	Kare	35	x	35	x	2,50	mm	PRF	EN 10219-S235JRH		
76	Kare	35	x	35	x	2,60	mm	PRF	EN 10219-S235JRH		
77	Kare	35	x	35	x	2,80	mm	PRF	EN 10219-S235JRH		
78	Kare	35	x	35	x	3,00	mm	PRF	EN 10219-S235JRH		
79	Kare	35	x	35	x	4,00	mm	PRF	EN 10219-S235JRH		
80	Kare	40	x	40	x	0,80	mm	PRF	EN 10219-S235JRH		
81	Kare	40	x	40	x	1,00	mm	PRF	EN 10219-S235JRH		
82	Kare	40	x	40	x	1,20	mm	PRF	EN 10219-S235JRH		
83	Kare	40	x	40	x	1,40	mm	PRF	EN 10219-S235JRH		
84	Kare	40	x	40	x	1,50	mm	PRF	EN 10219-S235JRH		
85	Kare	40	x	40	x	1,80	mm	PRF	EN 10219-S235JRH		
86	Kare	40	x	40	x	2,00	mm	PRF	EN 10219-S235JRH		
87	Kare	40	x	40	x	2,20	mm	PRF	EN 10219-S235JRH		
88	Kare	40	x	40	x	2,50	mm	PRF	EN 10219-S235JRH		
89	Kare	40	x	40	x	2,60	mm	PRF	EN 10219-S235JRH		
90	Kare	40	x	40	x	2,80	mm	PRF	EN 10219-S235JRH		
91	Kare	40	x	40	x	3,00	mm	PRF	EN 10219-S235JRH		
92	Kare	40	x	40	x	4,00	mm	PRF	EN 10219-S235JRH		
93	Kare	50	x	50	x	1,20	mm	PRF	EN 10219-S235JRH		
94	Kare	50	x	50	x	1,40	mm	PRF	EN 10219-S235JRH		
95	Kare	50	x	50	x	1,50	mm	PRF	EN 10219-S235JRH		
96	Kare	50	x	50	x	1,80	mm	PRF	EN 10219-S235JRH		
97	Kare	50	x	50	x	2,00	mm	PRF	EN 10219-S235JRH		
98	Kare	50	x	50	x	2,20	mm	PRF	EN 10219-S235JRH		
99	Kare	50	x	50	x	2,40	mm	PRF	EN 10219-S235JRH		
100	Kare	50	x	50	x	2,50	mm	PRF	EN 10219-S235JRH		
101	Kare	50	x	50	x	2,60	mm	PRF	EN 10219-S235JRH		
102	Kare	50	x	50	x	2,80	mm	PRF	EN 10219-S235JRH		
103	Kare	50	x	50	x	3,00	mm	PRF	EN 10219-S235JRH		
104	Kare	50	x	50	x	3,20	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
105	Kare	50	x	50	x	3,60	mm	PRF	EN 10219-S235JRH		
106	Kare	50	x	50	x	4,00	mm	PRF	EN 10219-S235JRH		
107	Kare	60	x	60	x	1,20	mm	PRF	EN 10219-S235JRH		
108	Kare	60	x	60	x	1,40	mm	PRF	EN 10219-S235JRH		
109	Kare	60	x	60	x	1,50	mm	PRF	EN 10219-S235JRH		
110	Kare	60	x	60	x	1,80	mm	PRF	EN 10219-S235JRH		
111	Kare	60	x	60	x	2,00	mm	PRF	EN 10219-S235JRH		
112	Kare	60	x	60	x	2,20	mm	PRF	EN 10219-S235JRH		
113	Kare	60	x	60	x	2,40	mm	PRF	EN 10219-S235JRH		
114	Kare	60	x	60	x	2,50	mm	PRF	EN 10219-S235JRH		
115	Kare	60	x	60	x	2,60	mm	PRF	EN 10219-S235JRH		
116	Kare	60	x	60	x	2,80	mm	PRF	EN 10219-S235JRH		
117	Kare	60	x	60	x	3,00	mm	PRF	EN 10219-S235JRH		
118	Kare	60	x	60	x	3,20	mm	PRF	EN 10219-S235JRH		
119	Kare	60	x	60	x	3,60	mm	PRF	EN 10219-S235JRH		
120	Kare	60	x	60	x	4,00	mm	PRF	EN 10219-S235JRH		
121	Kare	80	x	80	x	1,20	mm	PRF	EN 10219-S235JRH		
122	Kare	80	x	80	x	1,40	mm	PRF	EN 10219-S235JRH		
123	Kare	80	x	80	x	1,50	mm	PRF	EN 10219-S235JRH		
124	Kare	80	x	80	x	1,80	mm	PRF	EN 10219-S235JRH		
125	Kare	80	x	80	x	2,00	mm	PRF	EN 10219-S235JRH		
126	Kare	80	x	80	x	2,20	mm	PRF	EN 10219-S235JRH		
127	Kare	80	x	80	x	2,40	mm	PRF	EN 10219-S235JRH		
128	Kare	80	x	80	x	2,50	mm	PRF	EN 10219-S235JRH		
129	Kare	80	x	80	x	2,60	mm	PRF	EN 10219-S235JRH		
130	Kare	80	x	80	x	2,80	mm	PRF	EN 10219-S235JRH		
131	Kare	80	x	80	x	2,90	mm	PRF	EN 10219-S235JRH		
132	Kare	80	x	80	x	3,00	mm	PRF	EN 10219-S235JRH		
133	Kare	80	x	80	x	3,20	mm	PRF	EN 10219-S235JRH		
134	Kare	80	x	80	x	3,50	mm	PRF	EN 10219-S235JRH		
135	Kare	80	x	80	x	3,60	mm	PRF	EN 10219-S235JRH		
136	Kare	80	x	80	x	3,80	mm	PRF	EN 10219-S235JRH		
137	Kare	80	x	80	x	4,00	mm	PRF	EN 10219-S235JRH		
138	Kare	100	x	100	x	1,20	mm	PRF	EN 10219-S235JRH		
139	Kare	100	x	100	x	1,40	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
140	Kare	100	x	100	x	1,50	mm	PRF	EN 10219-S235JRH		
141	Kare	100	x	100	x	1,80	mm	PRF	EN 10219-S235JRH		
142	Kare	100	x	100	x	2,00	mm	PRF	EN 10219-S235JRH		
143	Kare	100	x	100	x	2,20	mm	PRF	EN 10219-S235JRH		
144	Kare	100	x	100	x	2,40	mm	PRF	EN 10219-S235JRH		
145	Kare	100	x	100	x	2,50	mm	PRF	EN 10219-S235JRH		
146	Kare	100	x	100	x	2,60	mm	PRF	EN 10219-S235JRH		
147	Kare	100	x	100	x	2,80	mm	PRF	EN 10219-S235JRH		
148	Kare	100	x	100	x	2,90	mm	PRF	EN 10219-S235JRH		
149	Kare	100	x	100	x	3,00	mm	PRF	EN 10219-S235JRH		
150	Kare	100	x	100	x	3,20	mm	PRF	EN 10219-S235JRH		
151	Kare	100	x	100	x	3,60	mm	PRF	EN 10219-S235JRH		
152	Kare	100	x	100	x	4,00	mm	PRF	EN 10219-S235JRH		
153	Dikdörtgen	10	x	20	x	0,80	mm	PRF	EN 10219-S235JRH		
154	Dikdörtgen	10	x	20	x	1,00	mm	PRF	EN 10219-S235JRH		
155	Dikdörtgen	10	x	20	x	1,20	mm	PRF	EN 10219-S235JRH		
156	Dikdörtgen	10	x	20	x	1,40	mm	PRF	EN 10219-S235JRH		
157	Dikdörtgen	10	x	20	x	1,50	mm	PRF	EN 10219-S235JRH		
158	Dikdörtgen	10	x	20	x	2,00	mm	PRF	EN 10219-S235JRH		
159	Dikdörtgen	10	x	20	x	2,50	mm	PRF	EN 10219-S235JRH		
160	Dikdörtgen	10	x	30	x	0,80	mm	PRF	EN 10219-S235JRH		
161	Dikdörtgen	10	x	30	x	1,00	mm	PRF	EN 10219-S235JRH		
162	Dikdörtgen	10	x	30	x	1,20	mm	PRF	EN 10219-S235JRH		
163	Dikdörtgen	10	x	30	x	1,40	mm	PRF	EN 10219-S235JRH		
164	Dikdörtgen	10	x	30	x	1,50	mm	PRF	EN 10219-S235JRH		
165	Dikdörtgen	10	x	30	x	1,80	mm	PRF	EN 10219-S235JRH		
166	Dikdörtgen	10	x	30	x	2,00	mm	PRF	EN 10219-S235JRH		
167	Dikdörtgen	10	x	30	x	2,20	mm	PRF	EN 10219-S235JRH		
168	Dikdörtgen	10	x	30	x	2,50	mm	PRF	EN 10219-S235JRH		
169	Dikdörtgen	15	x	10	x	0,80	mm	PRF	EN 10219-S235JRH		
170	Dikdörtgen	15	x	10	x	1,00	mm	PRF	EN 10219-S235JRH		
171	Dikdörtgen	15	x	10	x	1,20	mm	PRF	EN 10219-S235JRH		
172	Dikdörtgen	15	x	10	x	1,40	mm	PRF	EN 10219-S235JRH		
173	Dikdörtgen	15	x	10	x	1,50	mm	PRF	EN 10219-S235JRH		
174	Dikdörtgen	15	x	10	x	2,00	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
175	Dikdörtgen	15	x	10	x	2,50	mm	PRF	EN 10219-S235JRH		
176	Dikdörtgen	20	x	30	x	0,80	mm	PRF	EN 10219-S235JRH		
177	Dikdörtgen	20	x	30	x	1,00	mm	PRF	EN 10219-S235JRH		
178	Dikdörtgen	20	x	30	x	1,20	mm	PRF	EN 10219-S235JRH		
179	Dikdörtgen	20	x	30	x	1,40	mm	PRF	EN 10219-S235JRH		
180	Dikdörtgen	20	x	30	x	1,50	mm	PRF	EN 10219-S235JRH		
181	Dikdörtgen	20	x	30	x	1,80	mm	PRF	EN 10219-S235JRH		
182	Dikdörtgen	20	x	30	x	2,00	mm	PRF	EN 10219-S235JRH		
183	Dikdörtgen	20	x	30	x	2,20	mm	PRF	EN 10219-S235JRH		
184	Dikdörtgen	20	x	30	x	2,50	mm	PRF	EN 10219-S235JRH		
185	Dikdörtgen	20	x	30	x	2,60	mm	PRF	EN 10219-S235JRH		
186	Dikdörtgen	20	x	30	x	2,80	mm	PRF	EN 10219-S235JRH		
187	Dikdörtgen	20	x	30	x	3,00	mm	PRF	EN 10219-S235JRH		
188	Dikdörtgen	20	x	40	x	0,80	mm	PRF	EN 10219-S235JRH		
189	Dikdörtgen	20	x	40	x	1,00	mm	PRF	EN 10219-S235JRH		
190	Dikdörtgen	20	x	40	x	1,20	mm	PRF	EN 10219-S235JRH		
191	Dikdörtgen	20	x	40	x	1,40	mm	PRF	EN 10219-S235JRH		
192	Dikdörtgen	20	x	40	x	1,50	mm	PRF	EN 10219-S235JRH		
193	Dikdörtgen	20	x	40	x	1,80	mm	PRF	EN 10219-S235JRH		
194	Dikdörtgen	20	x	40	x	2,00	mm	PRF	EN 10219-S235JRH		
195	Dikdörtgen	20	x	40	x	2,20	mm	PRF	EN 10219-S235JRH		
196	Dikdörtgen	20	x	40	x	2,50	mm	PRF	EN 10219-S235JRH		
197	Dikdörtgen	20	x	40	x	2,60	mm	PRF	EN 10219-S235JRH		
198	Dikdörtgen	20	x	40	x	2,80	mm	PRF	EN 10219-S235JRH		
199	Dikdörtgen	20	x	40	x	3,00	mm	PRF	EN 10219-S235JRH		
200	Dikdörtgen	20	x	40	x	4,00	mm	PRF	EN 10219-S235JRH		
201	Dikdörtgen	25	x	40	x	0,80	mm	PRF	EN 10219-S235JRH		
202	Dikdörtgen	25	x	40	x	1,00	mm	PRF	EN 10219-S235JRH		
203	Dikdörtgen	25	x	40	x	1,20	mm	PRF	EN 10219-S235JRH		
204	Dikdörtgen	25	x	40	x	1,40	mm	PRF	EN 10219-S235JRH		
205	Dikdörtgen	25	x	40	x	1,50	mm	PRF	EN 10219-S235JRH		
206	Dikdörtgen	25	x	40	x	1,80	mm	PRF	EN 10219-S235JRH		
207	Dikdörtgen	25	x	40	x	2,00	mm	PRF	EN 10219-S235JRH		
208	Dikdörtgen	25	x	40	x	2,20	mm	PRF	EN 10219-S235JRH		
209	Dikdörtgen	25	x	40	x	2,50	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
210	Dikdörtgen	25	x	40	x	2,60	mm	PRF	EN 10219-S235JRH		
211	Dikdörtgen	25	x	40	x	2,80	mm	PRF	EN 10219-S235JRH		
212	Dikdörtgen	25	x	40	x	3,00	mm	PRF	EN 10219-S235JRH		
213	Dikdörtgen	25	x	40	x	4,00	mm	PRF	EN 10219-S235JRH		
214	Dikdörtgen	25	x	50	x	0,80	mm	PRF	EN 10219-S235JRH		
215	Dikdörtgen	25	x	50	x	1,00	mm	PRF	EN 10219-S235JRH		
216	Dikdörtgen	25	x	50	x	1,20	mm	PRF	EN 10219-S235JRH		
217	Dikdörtgen	25	x	50	x	1,40	mm	PRF	EN 10219-S235JRH		
218	Dikdörtgen	25	x	50	x	1,50	mm	PRF	EN 10219-S235JRH		
219	Dikdörtgen	25	x	50	x	1,80	mm	PRF	EN 10219-S235JRH		
220	Dikdörtgen	25	x	50	x	2,00	mm	PRF	EN 10219-S235JRH		
221	Dikdörtgen	25	x	50	x	2,20	mm	PRF	EN 10219-S235JRH		
222	Dikdörtgen	25	x	50	x	2,50	mm	PRF	EN 10219-S235JRH		
223	Dikdörtgen	25	x	50	x	2,60	mm	PRF	EN 10219-S235JRH		
224	Dikdörtgen	25	x	50	x	2,80	mm	PRF	EN 10219-S235JRH		
225	Dikdörtgen	25	x	50	x	3,00	mm	PRF	EN 10219-S235JRH		
226	Dikdörtgen	25	x	50	x	4,00	mm	PRF	EN 10219-S235JRH		
227	Dikdörtgen	30	x	40	x	0,80	mm	PRF	EN 10219-S235JRH		
228	Dikdörtgen	30	x	40	x	1,00	mm	PRF	EN 10219-S235JRH		
229	Dikdörtgen	30	x	40	x	1,20	mm	PRF	EN 10219-S235JRH		
230	Dikdörtgen	30	x	40	x	1,40	mm	PRF	EN 10219-S235JRH		
231	Dikdörtgen	30	x	40	x	1,50	mm	PRF	EN 10219-S235JRH		
232	Dikdörtgen	30	x	40	x	1,80	mm	PRF	EN 10219-S235JRH		
233	Dikdörtgen	30	x	40	x	2,00	mm	PRF	EN 10219-S235JRH		
234	Dikdörtgen	30	x	40	x	2,20	mm	PRF	EN 10219-S235JRH		
235	Dikdörtgen	30	x	40	x	2,50	mm	PRF	EN 10219-S235JRH		
236	Dikdörtgen	30	x	40	x	2,60	mm	PRF	EN 10219-S235JRH		
237	Dikdörtgen	30	x	40	x	2,80	mm	PRF	EN 10219-S235JRH		
238	Dikdörtgen	30	x	40	x	3,00	mm	PRF	EN 10219-S235JRH		
239	Dikdörtgen	30	x	40	x	4,00	mm	PRF	EN 10219-S235JRH		
240	Dikdörtgen	30	x	50	x	0,80	mm	PRF	EN 10219-S235JRH		
241	Dikdörtgen	30	x	50	x	1,00	mm	PRF	EN 10219-S235JRH		
242	Dikdörtgen	30	x	50	x	1,20	mm	PRF	EN 10219-S235JRH		
243	Dikdörtgen	30	x	50	x	1,40	mm	PRF	EN 10219-S235JRH		
244	Dikdörtgen	30	x	50	x	1,50	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
245	Dikdörtgen	30	x	50	x	1,80	mm	PRF	EN 10219-S235JRH		
246	Dikdörtgen	30	x	50	x	2,00	mm	PRF	EN 10219-S235JRH		
247	Dikdörtgen	30	x	50	x	2,20	mm	PRF	EN 10219-S235JRH		
248	Dikdörtgen	30	x	50	x	2,50	mm	PRF	EN 10219-S235JRH		
249	Dikdörtgen	30	x	50	x	2,60	mm	PRF	EN 10219-S235JRH		
250	Dikdörtgen	30	x	50	x	2,80	mm	PRF	EN 10219-S235JRH		
251	Dikdörtgen	30	x	50	x	3,00	mm	PRF	EN 10219-S235JRH		
252	Dikdörtgen	30	x	50	x	4,00	mm	PRF	EN 10219-S235JRH		
253	Dikdörtgen	40	x	60	x	1,20	mm	PRF	EN 10219-S235JRH		
254	Dikdörtgen	40	x	60	x	1,40	mm	PRF	EN 10219-S235JRH		
255	Dikdörtgen	40	x	60	x	1,50	mm	PRF	EN 10219-S235JRH		
256	Dikdörtgen	40	x	60	x	1,80	mm	PRF	EN 10219-S235JRH		
257	Dikdörtgen	40	x	60	x	2,00	mm	PRF	EN 10219-S235JRH		
258	Dikdörtgen	40	x	60	x	2,20	mm	PRF	EN 10219-S235JRH		
259	Dikdörtgen	40	x	60	x	2,40	mm	PRF	EN 10219-S235JRH		
260	Dikdörtgen	40	x	60	x	2,50	mm	PRF	EN 10219-S235JRH		
261	Dikdörtgen	40	x	60	x	2,60	mm	PRF	EN 10219-S235JRH		
262	Dikdörtgen	40	x	60	x	2,80	mm	PRF	EN 10219-S235JRH		
263	Dikdörtgen	40	x	60	x	3,00	mm	PRF	EN 10219-S235JRH		
264	Dikdörtgen	40	x	60	x	3,20	mm	PRF	EN 10219-S235JRH		
265	Dikdörtgen	40	x	60	x	3,60	mm	PRF	EN 10219-S235JRH		
266	Dikdörtgen	40	x	60	x	4,00	mm	PRF	EN 10219-S235JRH		
267	Dikdörtgen	40	x	80	x	1,20	mm	PRF	EN 10219-S235JRH		
268	Dikdörtgen	40	x	80	x	1,40	mm	PRF	EN 10219-S235JRH		
269	Dikdörtgen	40	x	80	x	1,50	mm	PRF	EN 10219-S235JRH		
270	Dikdörtgen	40	x	80	x	1,80	mm	PRF	EN 10219-S235JRH		
271	Dikdörtgen	40	x	80	x	2,00	mm	PRF	EN 10219-S235JRH		
272	Dikdörtgen	40	x	80	x	2,20	mm	PRF	EN 10219-S235JRH		
273	Dikdörtgen	40	x	80	x	2,40	mm	PRF	EN 10219-S235JRH		
274	Dikdörtgen	40	x	80	x	2,50	mm	PRF	EN 10219-S235JRH		
275	Dikdörtgen	40	x	80	x	2,60	mm	PRF	EN 10219-S235JRH		
276	Dikdörtgen	40	x	80	x	2,80	mm	PRF	EN 10219-S235JRH		
277	Dikdörtgen	40	x	80	x	3,00	mm	PRF	EN 10219-S235JRH		
278	Dikdörtgen	40	x	80	x	3,20	mm	PRF	EN 10219-S235JRH		
279	Dikdörtgen	40	x	80	x	3,60	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
280	Dikdörtgen	40	x	80	x	3,80	mm	PRF	EN 10219-S235JRH		
281	Dikdörtgen	40	x	80	x	4,00	mm	PRF	EN 10219-S235JRH		
282	Dikdörtgen	60	x	100	x	1,20	mm	PRF	EN 10219-S235JRH		
283	Dikdörtgen	60	x	100	x	1,40	mm	PRF	EN 10219-S235JRH		
284	Dikdörtgen	60	x	100	x	1,50	mm	PRF	EN 10219-S235JRH		
285	Dikdörtgen	60	x	100	x	1,80	mm	PRF	EN 10219-S235JRH		
286	Dikdörtgen	60	x	100	x	2,00	mm	PRF	EN 10219-S235JRH		
287	Dikdörtgen	60	x	100	x	2,20	mm	PRF	EN 10219-S235JRH		
288	Dikdörtgen	60	x	100	x	2,40	mm	PRF	EN 10219-S235JRH		
289	Dikdörtgen	60	x	100	x	2,50	mm	PRF	EN 10219-S235JRH		
290	Dikdörtgen	60	x	100	x	2,60	mm	PRF	EN 10219-S235JRH		
291	Dikdörtgen	60	x	100	x	2,80	mm	PRF	EN 10219-S235JRH		
292	Dikdörtgen	60	x	100	x	3,00	mm	PRF	EN 10219-S235JRH		
293	Dikdörtgen	60	x	100	x	3,20	mm	PRF	EN 10219-S235JRH		
294	Dikdörtgen	60	x	100	x	3,60	mm	PRF	EN 10219-S235JRH		
295	Dikdörtgen	60	x	100	x	4,00	mm	PRF	EN 10219-S235JRH		
296	Dikdörtgen	60	x	120	x	1,20	mm	PRF	EN 10219-S235JRH		
297	Dikdörtgen	60	x	120	x	1,40	mm	PRF	EN 10219-S235JRH		
298	Dikdörtgen	60	x	120	x	1,50	mm	PRF	EN 10219-S235JRH		
299	Dikdörtgen	60	x	120	x	1,80	mm	PRF	EN 10219-S235JRH		
300	Dikdörtgen	60	x	120	x	2,00	mm	PRF	EN 10219-S235JRH		
301	Dikdörtgen	60	x	120	x	2,20	mm	PRF	EN 10219-S235JRH		
302	Dikdörtgen	60	x	120	x	2,40	mm	PRF	EN 10219-S235JRH		
303	Dikdörtgen	60	x	120	x	2,50	mm	PRF	EN 10219-S235JRH		
304	Dikdörtgen	60	x	120	x	2,60	mm	PRF	EN 10219-S235JRH		
305	Dikdörtgen	60	x	120	x	2,80	mm	PRF	EN 10219-S235JRH		
306	Dikdörtgen	60	x	120	x	3,00	mm	PRF	EN 10219-S235JRH		
307	Dikdörtgen	60	x	120	x	3,20	mm	PRF	EN 10219-S235JRH		
308	Dikdörtgen	60	x	120	x	3,60	mm	PRF	EN 10219-S235JRH		
309	Dikdörtgen	60	x	120	x	4,00	mm	PRF	EN 10219-S235JRH		
310	Dikdörtgen	80	x	100	x	1,20	mm	PRF	EN 10219-S235JRH		
311	Dikdörtgen	80	x	100	x	1,40	mm	PRF	EN 10219-S235JRH		
312	Dikdörtgen	80	x	100	x	1,50	mm	PRF	EN 10219-S235JRH		
313	Dikdörtgen	80	x	100	x	1,80	mm	PRF	EN 10219-S235JRH		
314	Dikdörtgen	80	x	100	x	2,00	mm	PRF	EN 10219-S235JRH		

Sıra	Boyut ve Kalınlık:	En	x	Boy	x	Kalınlık	mm	PRF/BR	Kalite	Ton (TL)	6 Metre (TL)
315	Dikdörtgen	80	x	100	x	2,20	mm	PRF	EN 10219-S235JRH		
316	Dikdörtgen	80	x	100	x	2,40	mm	PRF	EN 10219-S235JRH		
317	Dikdörtgen	80	x	100	x	2,50	mm	PRF	EN 10219-S235JRH		
318	Dikdörtgen	80	x	100	x	2,60	mm	PRF	EN 10219-S235JRH		
319	Dikdörtgen	80	x	100	x	2,80	mm	PRF	EN 10219-S235JRH		
320	Dikdörtgen	80	x	100	x	3,00	mm	PRF	EN 10219-S235JRH		
321	Dikdörtgen	80	x	100	x	3,20	mm	PRF	EN 10219-S235JRH		
322	Dikdörtgen	80	x	100	x	3,60	mm	PRF	EN 10219-S235JRH		
323	Dikdörtgen	80	x	100	x	4,00	mm	PRF	EN 10219-S235JRH		
324	Dikdörtgen	80	x	120	x	1,20	mm	PRF	EN 10219-S235JRH		
325	Dikdörtgen	80	x	120	x	1,40	mm	PRF	EN 10219-S235JRH		
326	Dikdörtgen	80	x	120	x	1,50	mm	PRF	EN 10219-S235JRH		
327	Dikdörtgen	80	x	120	x	1,80	mm	PRF	EN 10219-S235JRH		
328	Dikdörtgen	80	x	120	x	2,00	mm	PRF	EN 10219-S235JRH		
329	Dikdörtgen	80	x	120	x	2,20	mm	PRF	EN 10219-S235JRH		
330	Dikdörtgen	80	x	120	x	2,40	mm	PRF	EN 10219-S235JRH		
331	Dikdörtgen	80	x	120	x	2,50	mm	PRF	EN 10219-S235JRH		
332	Dikdörtgen	80	x	120	x	2,60	mm	PRF	EN 10219-S235JRH		
333	Dikdörtgen	80	x	120	x	2,80	mm	PRF	EN 10219-S235JRH		
334	Dikdörtgen	80	x	120	x	3,00	mm	PRF	EN 10219-S235JRH		
335	Dikdörtgen	80	x	120	x	3,20	mm	PRF	EN 10219-S235JRH		
336	Dikdörtgen	80	x	120	x	3,60	mm	PRF	EN 10219-S235JRH		
337	Dikdörtgen	80	x	120	x	4,00	mm	PRF	EN 10219-S235JRH		